	REF. NO.		DATE		TO	UAE	
	Full Name	NALUKWAGO BUSHIRAH				اا سلم الكامل	
	Post Applied For	HOUSE MAID				ان ظيفت	
	Monthly Salary	1200				انا رتبنا نشهري	
	Mobile No.:	+256787064260					
	Contract Period	2 YEARS					


Nationality	UGANDAN	انجيسيت
Religion	MUSLIM	اندياوت
Date of Birth	27-04-1998	تاريخ انمبالد
Age	26	اعمر
Place of Birth	MASAKA	ك ت ام انمبالد
Living Town	MASAKA	ك ت ام انسكه
Marital Status	SINGLE	ان حارت الانجيم اعيت
No. of Children	2	عدذ الاطفال
Weight	59KGS	انغزن
Height	5.6 FT	انطول
Complexion	DARK	ين انبشرة
Educational Qualification	O-LEVEL	اندرجت اعنمبيت

Passport No.	A00471463	رقم انجا يز
Date of Issue	16-09-2021	تاريخ صلاذار
Place of Issue	KAMPALA	ك ت ام صلاذار
Date of EXP.	15-09-2031	تاريخ الوتءاء

KNOWLEDGE LANGUAGES		جاا قءا نهغاث	
جواء بوي	ENGLISH	ARABIC	ب ر
POOR			ع ي قويم
LITTLE			قويم
FAIR		✓	سوط
FLUENT	✓		ن

مماز			
ن اطال جء سويت	YES	ان س غوم	YES
Baby Sitting		Washing	
ان ظ بتف	YES	ك يبا زم با لس بس	YES
Cleaning		Ironing	
ان با طخ	WILLING	ن ا ترب	YES
Cooking		Decorating	

PREVIOUS COUNTRY	البلد
SAUDI ARABIA	
EXPERIENCE	
2 YEARS	



REMARKS:
She is good at Cleaning, laundry and taking care of babies.







KASOKA MEDICAL CENTRE

Medical, Dental & Laboratory Services



0704-723398 (Office Line)
0772-430419
0701-430419

Email: kasokamedicalcentre@gmail.com

Patient's No.: 6309



Market Street,
Energy Centre Bldg,
F03 (Last Floor),
Near Royal Complex
P.O.BOX 8066,
Kampala - Uganda

LABORATORY MEDICAL REPORT

NAME: NALUKWAGO BUSHIRAH SEX: FEMALE AGE: ADULT

SEROLOGY

Tests	Results	Reference values
HIV 1 & II SCREENING TEST	NEGATIVE	NEGATIVE
HBsAG, (B)	NEGATIVE	NEGATIVE
TPHA	NEGATIVE	NEGATIVE
KD 38 (SERUM TUBERCLOSIS)	NEGATIVE	-
WIDAL TEST		
*TYPHI (O)	NEGATIVE	-
*TYPHY (H)	NEGATIVE	-
*PARA TYPHI (A)	NEGATIVE	-
* PARA TYPHI (B)	NEGATIVE	-
WRIGHT TEST		
*BRUCELLA ABORTUS	NEGATIVE	-
* BRUCELLA MELITENSIS	NEGATIVE	-

MICROBIOLOGY

Tests	Results	Reference values
MALARIA ORGANISM DETECTION	NEGATIVE	
PREGNANCY TEST (HCG)	NEGATIVE	

REMARKS

MEDICAL OFFICER'S COMMENT:

MEDICAL OFFICER SIGN

DATE: 5/1/24

MEDICALLY FIT

LABORATORY TECHNOLOGIST'S SIGN

