

	APPLICATION FOR HOUSEMAID		
	NAMES		ALIBA ATIBA
	POST APPLIED FOR		HOUSEMAID
	CONTRACT PERIOD		2 YEARS
APPLICANTS DETAILS			PASSPORT DETAILS
NATIONALITY		UGANDAN	PASSPORT NO: B00016024
RELIGION		ISLAM	DATE OF ISSUE: 24/04/2023
DATE OF BIRTH		02/02/2002	DATE OF EXPIRY: 23/04/2033
			PLACE OF ISSUE: KAMPALA
LIVING STATUS		SINGLE	
PHONE NUMBER		+256751 036626	
WEIGHT		62.10KGS	
HEIGHT		162.00 CM	
EDUCATION STATUS		HIGH SCHOOL	
LANGUAGES SPOKEN			
ENGLISH		GOOD	
ARABIC		FAIR	
ABROAD PREVIOUS EMPLOYMENT			
PLACE	PERIOD	RESPONSIBILITY	
SAUDIARABIA	2 YEARS	HOUSEMAID	
WORKING EXPERIENCE			
TEACHING	TAKING CARE OF CHILDREN	HOUSEWORK	
YES	YES	YES	



	Passport	REPUBLIC OF UGANDA	
	Passeport	Type / Type	Country / Pays
		P	UGA
		Surname / Nom	Passport No. / Passeport No.
	ALIBA	B00016024	
	Given Names / Prénoms		
	ATIBA		
	Nationality / Nationalité	Sex / Sexe	ID Number / No d'identité
	UGANDAN	F	CF0201310H9NMC
	Date of Birth / Date de naissance	Place of Birth / Lieu de naissance	
	02 FEB 2002	KAMULI	
	Date of Issue / Date de délivrance	Authority / Autorité	
	24 APR 2023	UGANDA GOVT MBARARA	
	Date of Expiry / Date d'expiration	Holder's Signature / Signature du titulaire	
	23 APR 2033		
	CAN		
	953912		

953912

P<UGAALIBA<<ATIBA<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<
B00D160246UGA0202022F3304237CF020131DH9NMC78



KEMA MEDICAL DIAGNOSTIC LABORATORY

For all Laboratory Services

-188867

0772-820889

0752-846219

0776-846219

Email: kemadiagnosticlaboratory@gmail.com



Entebbe Rd near Nakasero Mosque

Zainabu Aziz Emporium

L7C1-10 (Last Floor)

P.O.BOX 8066

Kampala - Uganda

LABORATORY MEDICAL REPORT

NAMES:

ALIBA ATIBA

CONTACT:

SEX:


FEMALE

AGE:

ADULT:

SEROLOGY

Tests	Resu	Reference values
HIV 1 & II SCREENING TEST	NEGATIVE	NEGATIVE
HBsAg, HCV & HEV (BY ELISA / STRIP)	NEGATIVE	NEGATIVE
VDRL SYPHILIS TEST	NEGATIVE	NEGATIVE
KD 38 (SERUM TUBERCLOSIS)	NEGATIVE	-
WIDAL TEST		
*TYPHI (O)	NEGATIVE	
*TYPHY (H)	NEGATIVE	
*PARA TYPHI (A)	NEGATIVE	
*PARA TYPHI (B)	NEGATIVE	
WRIGHT TEST		
*BRUCELLA ABORTUS	NEGATIVE	
*BRUCELLA MELITENSIS	NEGATIVE	



MICROBIOLOGY

Tests	Results	Reference values
MALARIA ORGANISM DETECTION	NEGATIVE	
PREGNANCY TEST (HCG)	NEGATIVE	

REMARKS

LABORATORY TECHNOLOGIST'S COMMENT:

LABORATORY TECHNOLOGIST'S SIGN:

DATE:

17/11/2025



MEDICALLY FIT

CHECKED BY:

.....



